AUTHOR INDEX

AFFORD, S.C., *see* STOCKLEY, R.A.
AIUTI, F., *see* FIORILLI, M.
AIUTI, F., *see* SIRIANNI, M.C.
AIZAWA, M., *see* KOTANI, T.
ALEXANDER, K., EDWARDS, C., MISKO, I.S., GECZY, A.F., BASHIR, H.V. & EDMONDS, J.P. The distribution of a specific HLA-B27-associated cell surface component on the tissue of patients with ankylosing spondylitis, 158
ANDERSEN, P., MOSEKILDE, L. & HJORT, T. Antibodies to *Escherichia coli* and serum immunoglobulin levels in epileptics on long-term anticonvulsant therapy, 137
ANDREW, J.A., *see* STRELKAUSKAS, A.J.
ANSAR AHMED, S. & PENHALE, W.J. Thyroid transplantation in rats developing autoimmune thyroiditis following thymectomy and irradiation, 480

BACH, J.-F., *see* BACH, M.-A.
BACH, J.-F., *see* BERRIH, S.
BACH, J.-F., *see* KAISERLIAN, D.
BACH, M.-A., *see* BERRIH, S.
BACH, M.-A. & BACH, J.-F. The use of monoclonal anti-T cell antibodies to study T cell imbalances in human diseases, 449
BADGER, A.M., BERNARD, D.B., IDELSON, B.A. & COOPERBAND, S.R. Depressed spontaneous cellular cytotoxicity associated with normal or enhanced antibody-dependent cellular cytotoxicity in patients on chronic haemodialysis, 568
BAHR, G.M., ROOK, G.A.W. & STANFORD, J.L. Prostaglandin-dependent regulation of the *in vitro* proliferative response to mycobacterial antigens of peripheral blood lymphocytes from normal donors and from patients with tuberculosis or leprosy, 646.
BANCK, G., *see* SIRIANNI, M.C.
BARKER, W.W., *see* WEENING, J.J.
BARKLEY, D.S., *see* HARDIWIDJAJA, S.I.
BARNET, M., *see* D'AMELIO, R.
BARRATT, J., *see* SINDREY, M.
BASHIR, H.V., *see* ALEXANDER, K.
BASTEN, A., *see* TRENT, R.J.
BEALL, G.N. & KRUGER, S.R. Production of human anti-thyroglobulin *in vitro*. III. The role of immunoglobulin-bearing cells, 56
BECKER M.J., DRUCKER, I., FARKAS, R. STEINER, Z. & KLAJMAN, A. Monocyte-mediated regulation of cellular immunity in humans: loss of suppressor activity with ageing, 439
BERNARD, D.B., *see* BADGER, A.M.
BERRIH, S., GAUD, C., BACH, M.-A., LE BRIGAND, H., BINET, J.P. & BACH, J.-F. Evaluation of T cell subsets in myasthenia gravis using anti-T cell monoclonal antibodies, 1
BEVERLEY, P.C.L., *see* ROWE, D.J.
BIGGAR, W.D., *see* MINTA, J.O.
BINET, J.P., *see* BERRIH, S.
BLANOT, D., *see* KAISERLIAN, D.
BLUMENKRANTZ, N., *see* HUSBY G.
BODGER, M., *see* TIDMAN, N.
BOTTAZZO, G.F., *see* KHOURY, E.L. (2 papers)
BOTTURA, C., *see* FALCÃO, R.P.
BRANDEIS, W.E., *see* CUNNINGHAM-RUNDLES, C.
BRICAS, E., *see* KAISERLIAN, D.
BRIGHOUSE, G., *see* D'AMELIO, R.
BRITVAN, L., *see* TARGAN, S.
BURNETT, D., *see* STOCKLEY, R.A.
BUSHKELL, L.L., *see* JORDON, R.E.

CAMPBELL, A.C., DRONFIELD, M.W., TOGHILL, P.J. & REEVES, W.G. Neutrophil function in chronic liver disease, 81
CAPEL, P.J.A., *see* FAABER, P.
CAPELLI, V., *see* MARTINI, A.
CALVANICO, N.J., DU PONT, B.L., HUANG, C.J., PATTERSON, R., FINK, J.N. & KURUP, V.P. Antigens of *Aspergillus fumigatus*. I. Purification of a cytoplasmic antigen reactive with sera of patients with Aspergillus-related disease, 662
CATOVSKY, D., *see* FOA, R.
CHEN, Y. & HELLER, P. The mode of action of splenic suppressor cells in murine plasmacytoma, 514
CHIN, G.W., *see* ISSEKUTZ, T.B.
CLANCY R.L., *see* TRENT, R.J.
COCKERELL, R., *see* STEVEN, M.M.
COOPER, D.A., HANSEN, P., DUCKETT, M., ZIEGLER, J.B. & PENNY, R. Glucocorticosteroid enhancement of immunoglobulin synthesis by pokeweed mitogen-stimulated human lymphocytes. III. Common variable immunodeficiency, 399
COOPER, K.M., MOORE, M. & HILTON, A.M. C1q-binding activity in the sera of patients with chronic lung diseases, 18
COOPER, M.D., *see* LUCIVERO, G.
COOPERBAND, S.R. *see* BADGER, A.M.
CORDEIRO LIMA, M.F., *see* PERALTA, J.M.
COURA, J.R., *see* PERALTA, J.M.
CRAGO, S.S., KULHAVY, R., PRINCE, S.J. & MESTECKY, J. Inhibition of the pokeweed mitogen-induced response of normal peripheral blood lymphocytes by humoral components of colostrum, 386
CRAMERS, M., *see* JENSEN, J.R.
CROSSEN, P.E. & MORGAN, W.F. Proliferation of PPD-stimulated lymphocytes measured by sister chromatid differential staining, 642
CUNNINGHAM, J., *see* RUSSELL, P.J.
CUNNINGHAM-RUNDLES, C., BRANDEIS, W.E., PUDIFIN, D.J., DAY, N.K. & GOOD R.A. Autoimmunity in selective IgA deficiency: relationship to anti-bovine protein antibodies, circulating immune complexes and clinical disease, 299
CURD, J.G., YELVINGTON, M., ZICCARDI, R.J., MATHISON, D.A. & GRIFFIN, J.H. Purification and characterization of two functionally distinct forms of C1 inhibitor from a patient with angioedema, 261

DAAR, A.S. & FABRE, J.W. Organ-specific IgM autoantibodies to liver, heart and brain in man: generalized occurrence and possible functional significance in normal individuals, and studies in patients with multiple sclerosis, 37
D'AMELIO, R., BRIGHOUSE, G., BARNET, M. & LAMBERT, P.H. Antigen-specific detection of soluble

immune complexes in conglutinin-binding assays, 283
DAMLE, N., *see* GUPTA, S.
DANIELSEN, L., *see* HUSBY, G.
DANIS, V., *see* TRENT, R.J.
DARDENNE, M., *see* KAISERLIAN, D.
DASH, A.C., *see* ELKON, K.B.
DAVIES, A.J.S., *see* LEKE, R.
DAY, N.K., *see* CUNNINGHAM-RUNDLES, C.
DE BEUKELAAR, T., *see* RAEMAN, F.
DE COCK, W., *see* RAEMAN, F.
DE CREE, J., *see* RAEMAN, F.
DONIACH, D., *see* KHOURY, E.L. (2 papers)
DOREY, F., *see* TARGAN, S.
DRONFIELD, M.W., *see* CAMPBELL, A.C.
DRUCKER, I., *see* BECKER, M.J.
DUCKETT, M., *see* COOPER, D.A.
DUJIC A., *see* KAISERLIAN, D.
DUNKLEY, M., *see* RUSSELL, P.J.
DU PONT, B.L., *see* CALVANICO, N.J.

EDDLESTON, A.L.W.F., *see* ROWE, A.E.
EDMONDS, J.P. *see* ALEXANDER, K.
EDWARDS, C., *see* ALEXANDER, K.
ELKON, K.B., LANHAM, J.G., DASH, A.C. & HUGHES, G.R.V. The effect of a protein meal on three fluid-phase assays for circulating immune complexes, 279
ELLISON, G.W., *see* HARDIWIDJAJA, S.I.
ELLNER, J.J. *see* LEDERMAN, M.M.

FAABER, P., CAPEL, P.J.A. & KOENE, R.A.P. The interference of fibrinogen and heparin with the determination of circulating immune complexes in the C1q-binding assay, 590
FABRE, J.W., *see* DAAR, A.S.
FALCÃO, R.P. & BOTTURA, C. A comparative study of lymphocytes in effusions of patients with tuberculosis or malignant disease, 201
FARKAS, R., *see* BECKER, M.J.
FARRANT, J. & NEWTON, C. Relative ability to provide help: an explanation for Con A-induced suppression, 504
FEIGHERY, C., MCDONALD, G.S.A., GREALLY, J.F. & WEIR, D.G. Histological and immunological investigation of liver-specific protein (LSP) immunized rabbits compared with patients with liver disease, 143
FERNANDES, G., *see* GUPTA, S.
FINK, J.N., *see* CALVANICO, N.J.
FIORILLI, M. *see* SIRIANNI, M.C.
FIORILLI, M., SIRIANNI, M.C., PANDOLFI, F., QUINTI, I., TOSTI, U., AIUTI, F. & GOLDSTEIN, G. Improvement of natural killer activity and of T cells after thymopoietin pentapeptide therapy in a patient with severe combined immunodeficiency, 344
FOA, R. & CATOVSKY, D. Inhibitory effect of cyclosporin A on peripheral blood and bone marrow T lymphocyte colony formation, 371
FORSGREN, A., *see* SIRIANNI, M.C.

GASBARRE, L.C. HUG, K. & LOUIS, J. Murine T lymphocyte specificity for African trypanosomes. II. Suppression of the T lymphocyte proliferative response to *Trypanosoma brucei* by systemic trypanosome infection, 165
GAUD, C., *see* BERRIH, S.
GECZY, A.F., *see* ALEXANDER, K.
GILL, K., *see* PERALTA, J.M.
GLADMAN, D.D., *see* MINTA, J.O.
GOLDSTEIN, G., *see* FIORILLI, M.
GOLDSTEIN, G., *see* TIDMAN, N.
GOOD, R.A., *see* CUNNINGHAM-RUNDLES, C.
GORDON, M.Y. Effects of levamisole on T lymphocyte colony formation by cells from bone marrow aspirates, 365.
GREALLY, J.F., *see* FEIGHERY, C.
GRANGER, S., *see* TIDMAN, N.
GRAYZEL, A.I., *see* NEIGHBOUR, P.A.
GRIFFIN, J.H. *see* CURD, J.G.
GUPTA, S. Subpopulations of human T lymphocytes. XVIII. T lymphocytes with receptors for IgE (Tε) in patients with primary immunodeficiency and hyperimmunoglobulinaemia E states, 113
GUPTA, S. & DAMLE, N. Colony-forming lymphocytes in man. I. *In vivo* effect of hydrocortisone on phytohaemagglutinin-induced T cell colony formation, 557
GUPTA, S. & FERNANDES, G. Spontaneous and antibody-dependent cellular cytotoxicity by lymphocyte subpopulations in peripheral blood and spleen from adult untreated patients with Hodgkin's disease, 205
GYOTOKU, Y., KAKIUCHI, T., NONAKA, Y., SAITO, Y., ITO, I. & MURAO, S. Immune complexes in Takayasu's arteritis, 246

HALL, R.P., STROBER, W., KATZ, S.I. & LAWLEY, T.J. IgA-containing circulating immune complexes in gluten-sensitive enteropathy, 234
HAMBLIN, T.J., *see* STEVEN, M.M.
HAMMOND, L., *see* KHOURY, E.L. (2 papers)
HANSEN, P., *see* COOPER, D.A.
HARA, I., *see* NAKANO, Y.
HARDIWIDJAJA, S.I., MORGAN, A., ELLISON, G.W., MYERS, L.W., PIERCE, W.G. & BARKLEY, D.S. Huntington's disease and leucocyte adherence inhibition (LAI), 583.
HAY, J.B., *see* ISSEKUTZ, T.B.
HAYWARD, A.R. & MERRILL, D. Requirement for OKT8$^+$ suppressor cell proliferation for suppression by human newborn T cells, 468
HELLER, P., *see* CHEN, Y.
HENDERSON, E.S., *see* NEGORO, S.
HERROD, H.G. & VALENSKI, W.R. T lymphocyte colony-forming capacity of patients with immunodeficiency diseases: relationship of colony formation to E rosette formation and lymphocyte proliferation, 562
HERVA, R., *see* NURMI, T.
HEWITT, J., *see* SINDREY, M.
HILTON, A.M., *see* COOPER, K.M.
HJORT, T., *see* ANDERSEN, P.
HOEDEMAKER, PH.J., *see* WEENING, J.J.
HOLDSTOCK, G.E., *see* STEVEN, M.M.
HOLDSTOCK, G.E., *see* SERDENGECTI, S.
HOLT, B.J., *see* HOLT, P.G.
HOLT, P.G., *see* SEDGWICK, J.D.
HOLT, P.G., TURNER, K.J. & HOLT, B.J. *In vitro* synthesis of IgE by human peripheral blood

leucocytes. II. Modulation of IgE B cell activity by isotype-specific regulatory T cells, 523
HOPPER, K.E., MEHTA, K., SUBRAHMANYAM, D. & NELSON, D.S. Enhanced adhesion of rat neutrophils to *Litomosoides carinii* microfilariae in the presence of culture supernatants from mitogen-stimulated lymph node cells, 633
HUANG, C.J., *see* CALVANICO, N.J.
HUGHES, G.R.V., *see* ELKON, K.B.
HUG, K., *see* GASBARRE, L.C.
HUNTER, P.A., WILHELMUS, K.R., RICE, N.S.C. & JONES, B.R. Cyclosporin A applied topically to the recipient eye inhibits corneal graft rejection, 173
HUSBY, G., *see* MARHAUG, G.
HUSBY, G., SLETTEN, K., BLUMENKRANTZ, N. & DANIELSEN, L. Characterization of an amyloid fibril protein from localized amyloidosis of the skin as immunoglobulin light chains of variable subgroup I (AλI), 90

IDELSON, B.A., *see* BADGER, A.M.
INOUYE, H., *see* NOSE, Y.
IRIZAWA, W., *see* MINTA, J.O.
ISENBERG, D.A., *see* ROWE, D.J.
ISSEKUTZ, T.B., CHIN, G.W. & HAY, J.B. Lymphocyte traffic through chronic inflammatory lesions: differential migration versus differential retention, 604
ITO, I., *see* GYOTOKU, Y.
ITOH, T., *see* KOTANI, T.

JANOSSY, G., *see* TIDMAN, N.
JENSEN, J.R., CRAMERS, M. & THESTRUP-PEDERSON, K. Subpopulations of T lymphocytes and non-specific suppressor cell activity in patients with atopic dermatitis, 118
JONES, B.R., *see* HUNTER, P.A.
JONES, D.B., *see* SERDENGECTI, S.
JORDON, R.E., STRUVE, M.F. & BUSHKELL, L.L. Serum and blister fluid immune complexes in bullous pemphigoid: detection with C1q and monoclonal rheumatoid factor, 29

KAISERLIAN, D., DUJIC, A., DARDENNE, M., BACH J.-F., BLANOT, D. & BRICAS, E. Prolongation of murine skin grafts by FTS and its synthetic analogues, 338
KAKIUCHI, T., *see* GYOTOKU, Y.
KATZ, S.I., *see* HALL, R.P.
KELLEY, L.M., *see* RATAJCZAK, H.V.
KHOURY, E.L., HAMMOND, L., BOTTAZZO, G.F. & DONIACH, D. Surface-reactive antibodies to human adrenal cells in Addison's disease, 48
KHOURY, E.L., HAMMOND, L., BOTTAZZO, G.F. & DONIACH, D. Presence of the organ-specific 'microsomal' autoantigen on the surface of human thyroid cells in culture: its involvement in complement-mediated cytotoxicity, 316
KING, M.A. & WELLS, J.V. Paraproteinaemia: use of idiotypic determinants as specific markers for tumour activity, 544
KING, M.A. & WELLS, J.V. Cell-bound immunoglobulin on peripheral blood mononuclear cells of patients with myeloma, 522
KLAJMAN, A., *see* BECKER, M.J.
KOENE, R.A.P., *see* FAABER, P.
KOMORI, K., *see* NOSE, Y
KOMURO, K., *see* KOTANI, T.
KOTANI, T., KOMURO, K., YOSHIKI, T., ITOH, T. & AIZAWA, M. Spontaneous autoimmune thyroiditis in the rat accelerated by thymectomy and low doses of irradiation: mechanisms implicated in the pathogenesis, 329
KOUVALAINEN, K., *see* NURMI, T.
KRUGER, S.R., *see* BEALL, G.N.
KULHAVY, R., *see* CRAGO, S.S.
KUNG, P.C., *see* TIDMAN, N.
KURUP, V.P., *see* CALVANICO, N.J.

LAMBERT, P.H., *see* D'AMELIO, R.
LANHAM, J.G., *see* ELKON, K.B.
LAWLEY, T.J., *see* HALL, R.P.
LAWTON, A.R., *see* LUCIVERO, G.
LE BRIGAND, H., *see* BERRIH, S.
LEDERMAN, M.M., ELLNER, J.J. & RODMAN, H.M. Generation of a soluble immune response suppressor factor (IRSF) by unstimulated leucocytes of healthy subjects, 191
LEKE, R., VIENS, P. & DAVIES, A.J.S. Interaction between *Plasmodium chabaudi* and C57Bl mice with particular reference to the immune response, 627
LELCHUK, R., SPROTT, V.M.A. & PLAYFAIR, J.H.L. Differential involvement of non-specific suppressor T cells in two lethal murine malaria infections, 433
LEVINSKY, R.J., *see* ROBERTS, S.A.
LINNA, S.-L., *see* NURMI, T.
LOUIS, J., *see* GASBARRE, L.C.
LUCAS, D.O., *see* RATAJCZAK, H.V.
LUCIVERO, G., LAWTON, A.R. & COOPER, M.D. Rosette formation with mouse erythrocytes defines a population of human B lymphocytes unresponsive to pokeweed mitogen, 185

MCDONALD, G.S.A., *see* FEIGHERY, C.
MCDOUGALL, J., *see* ROWE, D.J.
MCEWAN COWAN, B., *see* ROWE, A.E.
MARHAUG, G. & HUSBY, G. Characterization of human amyloid-related protein SAA as a polymorphic protein: association with albumin and prealbumin in serum, 97
MARTINI, A., VITIELLO, M.A.,SIENA, S., CAPELLI, V. & UGAZIO, A.G. Multiple serum inhibitors of lectin-induced lymphocyte proliferation in nephrotic syndrome, 178
MATHISON, D.A., *see* CURD, J.G.
MEHTA, K., *see* HOPPER, K.E.
MERRILL, D., *see* HAYWARD, A.R.
MESTECKY, J., *see* CRAGO, S.S.
MINTA, J.O., UROWITZ, M.B., GLADMAN, D.D., IRIZAWA, T. & BIGGAR, W.D. Selective deficiency of the fourth component in a patient with systemic lupus erythematosus (SLE): immunochemical and biological studies, 72
MISKO, I.S., *see* ALEXANDER, K.
MOORE, M., *see* COOPER, K.M.
MORGAN, A., *see* HARDIWIDJAJA, S.I.
MORGAN, W.F., *see* CROSSEN, P.F.
MOSEKILDE, L., *see* ANDERSEN, P.
MURAO, S., *see* GYOTOKU, Y.

MYERS, L.W., *see* HARDIWIDJAJA, S.I.

NAISH, P., *see* SINDREY, M.
NAKANO, K., *see* NAKANO, Y.
NAKANO, Y., NAKANO, K. & HARA, I. Induction of leucocyte migration inhibitory factor (LIF) by stimulation with free hapten and water-insoluble epoxy resin, 419
NEGORO, S., YOSHIZAKI, K., HENDERSON, E.S. & SEON, B.K. New antigenic determinant common to human thymus leukaemia-associated antigens and common acute lymphoblastic leukaemia antigen, 487.
NEIGHBOUR, P.A. & GRAYZEL, A.I. Interferon production *in vitro* by leucocytes from patients with systemic lupus erythematosus and rheumatoid arthritis, 576.
NELSON, D.S., *see* HOPPER, K.E.
NELSON, D.S. Macrophages: progress and problems, 225
NEWTON, C., *see* FARRANT, J.
NOMURA, K., *see* NOSE, Y.
NONAKA, Y., *see* GYOTOKU, Y.
NOSE, Y., KOMORI, K., INOUYE, H., NOMURA, K., YAMAMURA, M. & TSUJI, K. Role of macrophages in T lymphocyte response to Candida allergen in man with special reference to HLA-D and DR, 152
NURMI, T., UHARI, M., LINNA, S.-L., HERVA, R., TIILIKAINEN, A. & KOUVALAINEN, K. Immunodeficiency associated with a deletion in the short arm of the X-chromosome, 107

OGILVIE, B.M., *see* SELKIRK, M.E.

PAGANELLI, R., *see* ROBERTS, S.A.
PANDOLFI, F., *see* FIORILLI, M.
PATEL, P.J. Antibacterial resistance in mice infected with *Mycobacterium lepraemurium*, 654.
PATTERSON, R., *see* CALVANICO, N.J.
PENHALE, W.J., *see* ANSAR AHMED, S.
PENNY, R., *see* COOPER, D.A.
PERALTA, J.M., GILL, K., CORDEIRO LIMA, M.F. & COURA, J.R. Leucocyte migration inhibition response to tissue antigens in asymptomatic individuals infected with *Trypanosoma cruzi*, 621
PIERCE, W.G., *see* HARDIWIDJAJA, S.I.
PLATTS-MILLS, T.A.E., *see* SELKIRK, M.E.
PLAYFAIR, J.H.L., *see* LELCHUK, R.
PRINCE, S.J., *see* CRAGO, S.S.
PUCILLO, L.P., *see* SIRIANNI, M.C.
PUDIFIN, D.J., *see* CUNNINGHAM-RUNDLES, C.

QUINTI, I., *see* FIORILLI, M.

RABSON, A.R., *see* WADEE, A.A.
RAEMAN, F., DE COCK, W., DE BEUKELAAR, T., DE CREE, J. & VERHAEGEN, H. Enumeration of T lymphocytes and T lymphocyte subsets in autoimmune disease using monoclonal antibodies, 475
RATAJCZAK, H.V., LUCAS, D.O., KELLEY, L.M. & WILSON, S.E. Correlation of proliferation of lung epithelium with intramuscular sensitization and complement-fixing antibody to respiratory syncytial virus in the golden hamster, 595
REEVES, W.G., *see* CAMPBELL, A.C.
REINHARDT, M.C., *see* ROBERTS, S.A.
RICE, N.S.C., *see* HUNTER, P.A.
RODMAN, H.M., *see* LEDERMAN, M.M.
ROOK, G.A.W., *see* BAHR, G.M.
ROOS, D., *see* VAN DE GRIEND, R.J.
ROBERTS, S.A., REINHARDT, M.C., PAGANELLI, R. & LEVINSKY, R.J. Specific antigen exclusion and non-specific facilitation of antigen entry across the gut in rats allergic to food proteins, 131
ROWE, A.E., MCEWAN COWAN, B., EDDLESTON, A.L.W.F. & THOMSON, A.D. Leukaemic liver infiltration in AKR mice prematurely induced by immunization with human or allogeneic liver protein, 305
ROWE, D.J., ISENBERG, D.A., MCDOUGALL, J. & BEVERLEY, P.C.L. Characterization of polymyositis infiltrates using monoclonal antibodies to human leucocyte antigens, 290
RUSSELL, P.J., CUNNINGHAM, J., DUNKLEY, M. & WILKINSON, N.M. The role of suppressor T cells in the expression of autoimmune haemolytic anaemia in NZB mice, 496

SAITO, Y., *see* GYOTOKU, Y.
SEDGWICK, J.D., HOLT, P.G. & TURNER, K.J. Production of a histamine-releasing lymphokine by antigen- or mitogen-stimulated human peripheral T cells, 409
SELKIRK, M.E., OGILVIE, B.M. & PLATTS-MILLS, T.A.E. Activation of human peripheral blood lymphocytes by a trypanosome-derived mitogen, 615
SEON, B.K., *see* NEGORO, S.
SERDENGECTI, S., JONES, D.B., HOLDSTOCK, G. & WRIGHT, R. Natural killer activity in patients with biopsy-proven liver disease, 361
SHARPIN, R.K.C., SIMMONS, M.H. & WILSON, J.D. Tg cells in peripheral blood lymphocytes from patients with rheumatoid arthritis, 538
SHARPIN, R.K.C. & WILSON, J.D. Fc receptors on lymphocytes from the blood of rheumatoid arthritis patients and normal controls: a comparison of four Fc receptor assays, 532
SIENA, S., *see* MARTINI, A.
SIMMONS, M.H., *see* SHARPIN, R.K.C.
SINDREY, M., BARRATT, J., HEWITT, J. & NAISH, P. Infective endocarditis-associated glomerulonephritis in rabbits: evidence of a pathogenetic role for antiglobulins, 253.
SIRIANNI, M.C., *see* FIORILLI, M.
SIRIANNI, M.C., PUCILLO, L.P., FIORILLI, M., AIUTI, F., BANCK, G. & FORSGREN, A. Formalin-treated bacteria as selective B cell mitogens: results in primary and acquired immunodeficiencies, 393
SLETTEN, K., *see* HUBSY, G.
SMITH, D.S., *see* STEVEN, M.M.
SMITH, J., *see* STEVEN, M.M.
SPROTT, V.M.A., *see* LELCHUK, R.
STANFORD, J.L., *see* BAHR, G.M.
STEINER, Z., *see* BECKER, M.J.
STEVEN, M.M., TANNER, A.R., HOLDSTOCK, G.E., COCKERELL, R., SMITH, J., SMITH, D.S., HAMBLIN, T.J. & WRIGHT, R. The effect of plasma exchange on the *in vitro* monocyte function of patients with immune complex diseases, 240

STOCKLEY, R.A., BURNETT, D. & AFFORD, S.C. The immunological measurement of 'free' secretory piece and its relationship to local IgA production, 124
STRELKAUSKAS, A.J., ANDREW, J.A. & YUNIS, E.J. Autoantibodies to a regulatory T cell subset in human ageing, 308
STRICKER, L., *see* VAN DE GRIEND, R.J.
STROBER, W., *see* HALL, R.P.
STRUVE, M.F., *see* JORDON, R.E.
SUBRAHMANYAM, D., *see* HOPPER, K.E.
SUSSMAN, M., *see* WHEELER, J.

TANAKA, J. & YATA, J. Immune complex-dependent T cell-mediated cytostasis (IDTC), 215
TANNER, A.R., *see* STEVEN, M.M.
TARGAN, S., BRITVAN, L. & DOREY, F. Activation of human NKCC by moderate exercise: increased frequency of NK cells with enhanced capability of effector–target lytic interactions, 352
THESTRUP-PEDERSEN, K., *see* JENSEN, J.R.
THOMSON, A.D., *see* ROWE, A.E.
TIDMAN, N., JANOSSY, G., BODGER, M. GRANGER, S., KUNG, P.C. & GOLDSTEIN, G. Delineation of human thymocyte differentiation pathways utilizing double-staining techniques with monoclonal antibodies, 457
TIILIKAINEN, A., *see* NURMI, T.
TOGHILL, P.J., *see* CAMPBELL, A.C.
TOSTI, U., *see* FIORILLI, M.
TRENT, R.J., CLANCY, R.L., DANIS, V. & BASTEN, A. Disordered immune homeostasis in chronic idiopathic thrombocytopenic purpura, 9
TSUJI, K., *see* NOSE, Y.
TURNER, K.J., *see* HOLT, P.G.
TURNER, K.J., *see* SEDGWICK, J.D.

UGAZIO, A.G., *see* MARTINI, A.
UHARI, M., *see* NURMI, T.
UROWITZ, M.B., *see* MINTA, J.O.

VALENSKI, W.R., *see* HERROD, H.G.
VAN DE GRIEND, R.J., VAN DOORN, R., STRICKER, L., ZEIJLEMAKER, W.P. & ROOS, D. Reactivity differences among human T cells from blood and lymphoid organs, analysed by limiting dilution: correlation with specific gravity and binding of peanut lectin, 376
VAN DOORN, R., *see* VAN DE GRIEND, R.J.
VERHAEGEN. H., *see* RAEMAN, F.
VIENS, P., *see* LEKE, R.
VITIELLO, M.A., *see* MARTINI, A.

WADEE, A.A. & RABSON, A.R. Production of a suppressor factor by adherent cells from *Mycobacterium tuberculosis*-infected guinea-pigs, 427
WEENING, J.J., HOEDEMAEKER, PH.J. & BAKKER, W.W. Immunoregulation and anti-nuclear antibodies in mercury-induced glomerulopathy in the rat, 64
WEIR, D.G., *see* FEIGHERY, C.
WELLS, J.V., *see* KING, M.A. (2 papers)
WHEELER, J. & SUSSMAN, M. Enzyme-linked immunosorbent assay for circulating anti-glomerular basement membrane antibodies, 271
WILHELMUS, K.R., *see* HUNTER, P.A.
WILKINSON, N.M., *see* RUSSELL, P.J.
WILSON, J.D., *see* SHARPIN, R.K.C. (2 papers)
WILSON, S.E., *see* RATAJCZAK, H.V.
WRIGHT, R., *see* SERDENGECTI, S.
WRIGHT, R., *see* STEVEN, M.M.

YAMAMURA, M., *see* NOSE, Y.
YATA, J., *see* TANAKA, J.
YELVINGTON, M., *see* CURD, J.G.
YOSHIKI, T., *see* KOTANI, T.
YOSHIZAKI, K., *see* NEGORO, S.
YUNIS, E.J., *see* STRELKAUSKAS, A.J.

ZEIJLEMAKER, W.P., *see* VAN DE GRIEND, R.J.
ZICCARDI, R.J., *see* CURD, J.G.
ZIEGLER, J.B. *see* COOPER, D.A.

SUBJECT INDEX

Addison's disease
  antibodies in, 48
Adrenal cells
  antibodies to, 48
Ageing
  and autoantibodies, 308
  loss of suppressor activity in, 439
Albumin
  detected in SAA protein, 97
Amyloid fibril protein
  characterization of, 90
Amyloidosis
  amyloid fibril protein from, 90
Amyloid-related protein SAA
  characterization of, 97
Anaemia
  autoimmune haemolytic, T cells in, 496
Angioedema
  C1 inhibitor in, 261
Antibodies
  anti-bovine, and autoimmunity, 299
  anti-GBM, ELISA for, 271
  anti-nuclear, in glomerulopathy, 64
  in Addison's disease, 48
  monoclonal, characterize polymyositis infiltrates, 290
    delineate thymocytes, 457
    enumerate T lymphocytes, 475
    study T cell imbalance, 449
Antibody
  complement-fixing, to RSv, 595
Antibody-dependent cellular cytotoxicity
  during haemodialysis, 568
Antigen
  cytoplasmic, reactive with Aspergillus sera, 662
  leukaemia-associated, antigenic determinant to, 487
Antigen exclusion
  in food allergy, 131
Antigenic determinant
  to HTL and cALL antigens, 487
Antiglobulins
  in glomerulonephritis, 253
Anti-thyroglobulin
  produced *in vitro*, 56
Aspergillus fumigatus
  antigens of, 662
Assay
  conglutinin-binding, detects IC, 283
  enzyme-linked immunosorbent, detects anti-GBM Ag, 271
  fluid-phase, detects IC, 279
Autoantibodies
  IgM, in normals and MS, 37
  in ageing, 308
Autoantigen
  'microsomal', on thyroid cells, 316
Autoimmune disease
  T lymphocytes in, 475
Autoimmunity
  in IgA deficiency, 299

Bacteria
  as B cell mitogens, 393
B cell subsets
  and rosette formation, 185
Bone marrow
  source of cells influencing TL-CFC, 365
Brain
  IgM autoantibodies to, 37
Branhamella catarrhalis
  as a B cell mitogen, 393
Bullous pemphigoid
  ICs in, 29

C1 inhibitor
  in angioedema, 261
C1q
  detects IC in bullous pemphigoid, 29
C1q binding
  in lung disease, 18
C1q-binding assay
  determines CIC, 590
Candida allergen
  T lymphocyte response to, 152
Cellular cytotoxicity
  in Hodgkin's disease, 205
Colony formation
  T lymphocyte, effect of CyA on, 371
    effect of levamisole on, 365
Colostrum
  inhibits PBL mitogenesis, 386
Complement
  absence of C4 in SLE, 72
Con A
  induces suppression, 504
Conglutinin-binding assay
  detects soluble IC, 283
Cyclosporin A
  effects on TL-CFC, 371
  inhibits corneal graft rejection, 173
Cytostasis
  by IC and T cells, 215
Cytotoxicity
  complement-mediated, and 'microsomal' autoantigen, 316
  natural killer, activated by exercise, 352

Dermatitis
  atopic, T lymphocytes in, 118
DNA synthesis
  suppressed by Con A, 504

Enteropathy
  CIC in, 234
Enzyme-linked immunosorbent assay
  for anti-GBM antibodies, 271
Epilepsy
  E. coli Ab in, 137
Epoxy resin
  induces LIF, 419
E rosette formation
  in immunodeficiency disease, 562
Erythrocytes
  define B cell subset, 185

Escherichia coli
Ab to in epileptics, 137

Facteur thymique sérique
prolongs skin grafts, 338
Fc receptor
on lymphocytes in RA, 532
Fibrinogen
interferes with CIC determination, 590
Fluid-phase assays
effects of protein meal on, 279
Food allergy
macromolecular absorption in, 131

Graft rejection
corneal, inhibited by CyA, 173
Glomerulonephritis
ELISA for anti-GBM antibodies, 271
infective endocarditis-associated, 253
Glomerulopathy
immunodysregulation in, 64
Glucocorticosteroids
enhance Ig synthesis, 399

Haemodialysis
NK and ADCC during, 568
Haemophilus influenzae
as a B cell mitogen, 393
Hapten
induces LIF, 419
Heart
IgM autoantibodies to, 37
Heparin
interferes with CIC determination, 590
Histamine-releasing activity
production of, 409
HLA-B27
cell surface component associated with, 158
HLA-D/DR
and cellular interaction, 152
Hodgkin's disease
SCMC and ADCC in, 205
Homeostasis
immune, in ITP, 9
Huntington's disease
and LAI, 583
Hydrocortisone
effect on T cell colonies, 557
Hyperimmunoglobulinaemia E
Tε in, 113

Idiopathic thrombocytopenic purpura
immune homeostasis in, 9
Idiotypic determinants
mark tumours in paraproteinaemia, 544
IgA deficiency
autoimmunity in, 299
IgA production
and 'free' secretory piece, 124
IgE
synthesized by PBL, 523
Immune complex disease
monocyte function in, 240
Immune complexes
circulating, and autoimmunity, 299
assays for, 279
determined in C1qBA, 590
in enteropathy, 234
cytostasis by, 215
in bullous pemphigoid, 29
in lung disease, 18
in Takayasu's arteritis, 246
soluble, detection in KgBA, 283
Immune response suppressor factor
generated by unstimulated leucocytes, 191
Immunity
cellular, regulation of, 439
Immunodeficiency
and bacteria as B cell mitogens, 393
and X-chromosome deletion, 107
common variable, and Ig synthesis, 399
primary, Tε in, 113
severe combined, NK and T cells in, 344
Immunodeficiency diseases
T cell colony formation in, 562
Immunoglobulin
cell-bound, in myeloma, 552
Immunoglobulin levels
in epileptics, 137
Immunoglobulin synthesis
enhanced by GCS, 399
Immunoregulation
in glomerulopathy, 64
Inflammatory lesions
lymphocyte traffic through, 604
Interferon production
in SLE and RA, 576
Irradiation
accelerates thyroiditis, 329
and autoimmune thyroiditis, 480

Klebsiella
and ankylosing spondylitis, 158

Leprosy
and response to mycobacterial Ag, 646
Leucocyte adherence inhibition
and Huntington's disease, 583
Leucocyte migration inhibition
in *T. cruzi* infection, 621
Leucocyte migration inhibitory factor
induction of, 419
Leucocytes
unstimulated, generate IRSF, 191
Leukaemia
induced by LSP immunization, 305
Leukaemia antigen
common acute lymphoblastic, 487
Levamisole
effects in T colony formation, 365
Litomosoides carinii
enhanced neutrophil binding to, 633
Liver
IgM autoantibodies to, 37
Liver disease
and study of LSP, 143
neutrophil function in, 81
NK activity, in 361
Liver infiltration
leukaemic, induced by immunization, 305
Liver-specific protein
investigation of, 143

Lung disease
C1q binding in, 18
Lung epithelium
proliferation and RSv, 595
Lymphocyte proliferation
in response to PPD, 642
serum inhibitors of, 178
Lymphocytes
in TB, 201
Lymphocyte subpopulations
in Hodgkin's disease, 205
Lymphocyte traffic
through inflammatory lesions, 604
Lymphokine HRA
production of, 409

Macrophages
a review, 225
in response to Candida allergen, 152
Malaria
suppressor T cells in, 433
'Microsomal' autoantigen
on thyroid cells, 316
Mitogenesis
PBL, inhibited by colostrum, 386
Monoclonal antibodies
characterize polymyositis infiltrates, 290
delineate thymocyte differentiation, 457
enumerate T lymphocytes, 475
evaluate T cell subsets, 1
study T cell imbalances, 449
study T cell suppression, 468
Monocyte function
effect of plasma exchange on, 240
Monocytes
regulate cellular immunity, 439
Multiple sclerosis
IgM autoantibodies in, 37
Myasthenia gravis
T cells subsets in, 1
Mycobacterium lepraemurium
antibacterial resistance during infection, 654
Mycobacterium tuberculosis
and suppressor factor production, 427
Myeloma
cell-bound Ig, 552

Natural killer activity
in liver disease, 361
in SCID, 344
Natural killer cellular cytotoxicity
activated by exercise, 352
Natural killing
during haemodialysis, 568
Nephrotic syndrome
serum inhibitors in, 178
Neutrophil binding
enhanced, to *L. carinii* Mf, 633
Neutrophil function
in liver disease, 81

OKT8$^+$ suppresso[illegible] proliferation
required for supp[illegible]ion by T cells, 468

Paraproteinaemia
idiotypic determinants mark tumours, 544
Parasitaemia
P. chabaudi, in C57Bl mice, 627
Peripheral blood lymphocytes
activated by *T.b. rhodesiense*, 615
Plasmacytoma
suppressor cells in, 514
Plasma exchange
effect on monocyte function, 240
Plasmodium berghei
and suppressor T cells, 433
Plasmodium chabaudi
interacts with C57Bl mice, 627
Plasmodium yoelii
and suppressor T cells, 433
Polymyositis infiltrates
characterization using monoclonal Ab, 290
Prealbumin
detected in SAA protein, 97
Prostaglandin
regulates response to mycobacterial Ag, 646

Renal disease
NK and ADCC during, 568
Resistance
antibacterial in *M. lepraemurium* infection, 654
Respiratory syncytial virus
and lung epithelium proliferation, 595
Rheumatoid arthritis
IFN production in, 576
Fc receptors in, 532
T_G cells in, 538
Rheumatoid factor
monoclonal, detects IC, 29
Rosette formation
and B cell subsets, 185

Secretory piece
'free', measurement of, 124
Serum inhibitors
in nephrotic syndrome, 178
Skin grafts,
prolonged by FTS, 338
Spondylitis
ankylosing, and Klebsiella, 158
Spontaneous cellular cytotoxicity
during haemodialysis, 568
Staphylococcus aureus
as a B cell mitogen, 393
Suppression
Con A-induced, 504
Suppressor activity
in ageing, 439
Suppressor cell activity
in atopic dermatitis, 118
Suppressor cells
splenic, in plasmacytoma, 514
Suppressor factor
production of, 427
Systemic lupus erythematosus
absence of C4 in, 72
IFN production in, 576

Takayasu's arteritis
immune complexes in, 246

T cell colony formation
effect of hydrocortisone on, 557
in immunodeficiency disease, 562
T cell imbalances
studied with monoclonal antibodies, 449
T cells
analysed by limiting dilution, 376
and regulation of IgE synthesis, 523
cytostasis by, 215
produce lymphokine HRA, 409
suppressor, in anaemia, 496
in malaria, 433
T cell subsets
in myasthenia gravis, 1
T cell suppression
requirement for $OKT8^+$ suppressor cell proliferation, 468
T_G cells
in RA, 538
Thymectomy
accelerates thyroiditis, 329
and autoimmune thyroiditis, 480
Thymocyte differentiation pathways
delineated with monoclonal antibodies, 457
Thymopoietin therapy
improves NK activity in SCID, 344
Thyroid cells
presence of 'microsomal' autoantigen on, 316
Thyroiditis
accelerated by thymectomy, 329
autoimmune, and thyroid transplantation, 480
Thyroid disease
and anti-Tg production, 56
Thyroid transplantation
following thymectomy, 480
T lymphocyte response
to Candida allergen, 152
T lymphocyte specificity
for African trypanosomes, 165
T lymphocytes
enumerated with monoclonal antibodies, 475
subpopulations of, 113, 118
Trypanosoma brucei
suppression of T cell response, 165
Trypanosoma brucei rhodesiense
activates PBL, 615
Trypanosoma cruzi
and LMI, 621
Trypanosomes
African, T specificity for, 165
Tuberculin-purified protein derivative
and lymphocyte proliferation, 642
Tuberculosis
and response to mycobacterial Ag, 646
and suppressor factor production, 427
lymphocytes in, 201

X-chromosome deletion
and immunodeficiency, 107